

Rhodora

JOURNAL OF THE
NEW ENGLAND BOTANICAL CLUB

Conducted and published for the Club, by

ALBION REED HODGDON, Editor-in-Chief

ALBERT FREDERICK HILL
STUART KIMBALL HARRIS
RALPH CARLETON BEAN
ROBERT CRICHTON FOSTER
ROLLA MILTON TRYON
RADCLIFFE BARNES PIKE
LORIN IVES NEVLING, JR.

} Associate Editors

VOLUME 71

1969

The New England Botanical Club, Inc.

Botanical Museum, Oxford St., Cambridge 38, Mass.



INDEX TO VOLUME 71

New scientific names and combinations are printed in bold face type

- Abies* 337, 338
Abromitiella 35, 225; *brevifolia* 225
Abutilon Theophrasti 171
Acer rubrum 32
Aceraceae 514
Achillea borealis 523; *lanulosa* 523; *Millefolium* 20, 27, 514, 523
Aconitum Napellus 170
Acrochaetium amphiroae 131; *attenuatum* 132; *flexuosum* 132, 527, 528
Acrothrix novae-angliae 153
Adams, Franklin S., Winterbud Production and Function in *Brasenia Schreberi* 417-432
Aechmea 36, 271; *angustifolia* 271, 272; *boliviana* 272; *brachyclada* 271, 272; *bromeliifolia* 271, 274; *Castelnavii* 271, 273; *distichantha* 271, 273, var. *Schlumbergeri* 274; *ellipsoidea* 274, 275; *inconspicua* 272; *involutocrata* 274; *Kuntzeana* 271; *tocantina* 271, 273
Aesculus octandra 303
Agalinis aphylla 33; *purpurea* 33
Agardhiella tenera 528
Agaricus flavescens 190; *sulphureoides* 190, 191
Agarum cribrorum 125, 137, 155
Agropyron repens 519
Agrostis alba var. *alba* 519, var. *palustris* 22, 519; *scabra* 22
Ahnfeltia plicata 115, 135
Alaria esculenta 114, 115, 127, 132; *musaefolia* 127; *pylaii* 154
Alaska, Additions to the Flora of Saint Lawrence Island 502
Aletris aurea 32; *farinosa* 32; *lutea* 32
Allium tricoccum 168
Alopecurus pratensis 168
Alsophila 7, 8; *acutidens* 8; *armata* 7, 13; *bicrenata* 10, 13, 15, 16; *conjugata* 9-12, 14, 16; *estelae* 8, 10, 16; *hirsuta* 9, 13, 14, 16; *hirta* 14; *mexicana* 8; *microdonta* 8; *myosuroides* 8; *nesiotica* 8, 10, 16; *notabilis* 8; *pansamalana* 9, 11, 15; *rufa* 9, 14, 16; *scabriuscula* 8, 12, 15, var. *guatemalensis* 9, 13, var. *scabriuscula* 8, 12, 15, 16; *stipularis* 9, 14; *strigillosa* 9, 13; *swartziana* 7-10, 13, 16, The Complex 7; *trichiata* 8, 10-12, 16, 17; *tryonorum* 8, 10-13, 16
Althaea rosea 171
Ambrosia artemisiifolia 516, 517, 523; *trifida* 174, 175
Amelanchier laevis 20, 25
Ammophila breviligulata 19, 22, 540
Amphisphaeriaceae 200
Anaboena circinalis 447-449; *flos-aquae* 447-449; *scherevietiei* 448, 449
Anacystis dimidiata 116
Ananas 36, 278; *ananassoides* 278; *comosus* 278, 279
Anaphalis margaritacea 307, var. *intercedens* 308, var. *margaritacea* 308, var. *subalpina* 302, 307
Anchistea virginica 31
Andromeda polifolia 508
Andropogon glomeratus 31
Angelonia biflora 551
Ankistrodesmus falcatus 451,

- var. *acicularis* 451, var. *mirabilis* 451
Anthaeantia villosa 31
Anthostoma pulviniceps 194, 195
Anthoxanthum odoratum 519;
puellii 564
Antithamnion americanum 136;
boreale 136; *cruciatum* 136;
floccosum 154; *pylaisaei* 136
Aphanizomenon flos-aquae 448,
 449
Aphanothece clathrata 448
Aquifoliaceae 574
Aralia spinosa 478, in St. Louis
 County, Missouri 478
Arbutus 337, 338
Arctostaphylos uva-ursi 19
Arenaria lateriflora 516, 521;
peplodes var. *robusta* 25
Arisaema Stewardsonii 168; *triphyl-
 lllum* 563
Aristida affinis 31; *purpurascens*
 31; *stricta* 31
Armillaria decorosa 177, 178;
viscidipes 178-180
Artemisia caudata 19, 27; *globu-
 laria* 508; *Stelleriana* 27, 540
Arthrodesmus bulnheimii 461;
incus var. *extensus* 461; *ralfsii*
 461; *triangularis* var. *subtri-
 angularis* 462
Arundinaria gigantea 31
Asarum canadense 172
Asclepias cinerea 33; *lanceolata*
 33; *longifolia* 33; *michauxii* 33
Ascocyclus distromaticus 125
Ascomycetes 193
Ascophyllum nodosum 115, 117,
 118, 123, 125, 129, 133, 134,
 138, f. *scorpioides* 154
Asparagopsis hamifera 132, 527
Asperococcus echinatus 126
Aster 514; *brachyactis* 219; *du-
 mosus* 33; *foliaceus* 523;
johannensis 523; *junciformis*
 173; *lateriflorus* 33; *linarii-
 folius* 33; *nemoralis* f. *albi-
 florus* 173; *novi-belgii* 523;
paludosus 33; *pilosus* 33; *puni-
 ceus* f. *albiflorus* 173; *reticu-
 latus* 33; *sibiricus* 506; sp. 27;
umbellatus 33, 523
Asteraceae 497
Asterionella 465; *formosa* 466,
 var. *gracillima* 466
Asterocystis ramosa 130
Atriplex 580; *arenaria* 20, 24,
 580; *argentea* 580; *glabrius-
 cula* 520; *hortensis* 580; *patula*
 580, var. *hastata* 34, 520; *rosea*
 580; *sibirica* 580, A New Weed
 Introduction in New England
 580
Avena fatua 168; *sativa* 168
Baccharis halimifolia 27
Balduina uniflora 33
 Baldwin, J. T. Jr., A Seventeenth
 Century Record for *Stewartia*
 434-438
Bangia ciliaris 131; *fuscopurpu-
 rea* 154
Banisteriopsis 538
 Barr, Margaret E. and Howard
 E. Bigelow, Contributions to
 the Fungus Flora of North-
 eastern North America V. 177-
 203
Basidiomycetes 177
 Beaman, J. H. and J. L. Gras-
 hoff, Studies in *Eupatorium*
 (Compositae) I. Revision of
Eupatorium bellidifolium and
 Allied Species 566-576; II. A
 New Species of *Eupatorium*
 (Section *Hebeclinum*) 577-579
 Bent, Forrest C., Chromosome
 Studies in *Habenaria* 541-543
Berlesiella 195; *echinata* 194;
nigerrima 193, 195, 196; *para-*

- sitica 194; setosa 194
Bertia parasitica 194, 195
Betonica Alopecurus 537
Betula nana ssp. *exilis* 508;
 papyrifera var. *cordifolia* 301
Bidens cernua 433; *comosa* 433;
 cordifolia 358; *frondosa* 33, 523
 Bigelow, Howard E. and Mar-
 garet E. Barr, Contributions
 to the Fungus Flora of North-
 eastern North America V. 177-
 203
Billbergia 36, 275; *boliviensis*
 277; *cardenasii* 275, 277; *de-*
cora 275, 277; *Meyeri* 275, 276;
 microlepis 275; *velascana* 275,
 277
Blidingia minima 119, 527
Bolbocoleon piliferum 154
 Bolivia, The Bromeliaceae of 35,
 220
Boltonia asteroides 33; *diffusa* 33
Botryococcus braunii 451; pro-
 tuberans var. *minor* 451-453
Brasenia 417, 419-421, 425, 428,
 430, 432; *Schreberi* 417, 421,
 426, 432, Winterbud Produc-
 tion and Function in 417
Brassica juncea 521
 Braun, E. Lucy, A Model Flora
 of Ohio—"The Monocotyle-
 doneae" (Book Review) 562-
 564
Braya humilis ssp? 505
Bromelia 36, 269; *Balansae* 270;
 Hieronymii 270; *serra* 270
 Bromeliaceae 35, 220, of Bolivia
 35, 220; subfam *Bromelioideae*
 36; subfam. *Pitcairnioideae* 35;
 Tillandsioideae 35, 232
Bromus 562; *tectorum* 22
 Broome, C. Rose, Robert W. Long
 and Olga Lakela, Some Pre-
 liminary Statistics of the Flora
 of Southern Florida 495-501
Bryophyllum pinnatum 441
Buchnera floridana 33
Cabomba 417
Cacalia lanceolata 34
Cakile edentula 20, 25, 521
Calamagrostis canadensis 519;
 neglecta 504; *Pickeringii* 168
Calendula officinalis 174
Callitriche 513; *heterophylla* 516,
 517, 522; *verna* 505
Calopogon pallidus 32; *pulchellus*
 32
Calosphaeria 199
 Calosphaeriaceae 199, 200
Calothrix confervicola 117; crus-
 tacea 117; *scopulorum* 154
Campanula americana 303; *diva-*
ricata 303; *lasiocarpa* ssp.
 lasiocarpa 506
Camptosema coriaceum 550
 Cape Cod, *Glaucium flavum* from
 540
 Capnodiaceae 196
 Caprifoliaceae 514
Capsella Bursa-pastoris 521
Capsosiphon fulvescens 118
Cardamine 552; *microphylla* 505
Carduus austrius 294, 295;
 lanceolatus 34; *lecontei* 34;
 spinosissimus 34
Carex 105, 507, 562; *brunnescens*
 var. *sphaerostachya* 520; *can-*
 escens var. *canescens* 519;
 comosa 23; *crinita* var. *crinita*
 520; *deflexa* 299, 300, 302; *Em-*
 monsii 299, 300; *glaucescens*
 31; *hormathodes* 520, 564;
 Jacobi-peteri 505, 506; *jamesii*
 303; *livida* 505, 506; *longii* 23;
 lurida 31; *misandra* 508; *neso-*
 phila 508; *paleacea* 520; *palles-*
 cens var. *neogaea* 300; *pyre-*
 naica ssp. *micropoda* 505;
 Ramenskii 508; *rariflora* 508;

- scoparia 520; silicea 520; stylosa 505; styloflexa 31; tuckermani 564; varia 564
- Carphephorus pseudoliatrix 34
- Carpinus caroliniana 198
- Carum Carvi 522
- Caryophyllaceae 515
- Castanea dentata 561
- Catopsis gracilis 223
- Ceanothus americanus 32
- Centaurea montana 174
- Centella asiatica 33
- Cephalanthus occidentalis 33, 173
- Ceramium areschougii 116, 117, 131, 136; elegans 136; rubrifforme 136; rubrum 117, 124, 528, var. pedicellatum 136; strictum 527, 528
- Cerastrum arvense 521; vulgatum 521
- Ceratum hirundinella 469, f. robustum 469; scammanaeae 161
- Ceratophyllum demersum 419
- Chaenactis 73, 74
- Chaetapiospora rhododendri 200, 201
- Chaetomorpha atrovirens 120, 125, 132; linum 120; melagonium 120
- Chaetopteris plumosa 124
- Chamaesaracha 65
- Champia parvula 527
- Champlin, Richard L., A Rhode Island Station for Luminous Moss 305
- Chaptalia tomentosa 34
- Characium curvatum 451; gracilipes 451; limneticus 451-453
- Chavica officinarum 438
- Chenopodium album 520; leptophyllum 560; urbicum 169
- Chesapeake Bay Region, A Preliminary Investigation of the Bethonic Marine Algae of the 524
- Chimaphila umbellata var. cisatlantica 166
- Chlamydomonas dinobryonis 451-453
- Chlorangium stentorinum 451
- Chlorogloea conferta 116
- Chondrophora nudata 34
- Chondrus crispus 115, 119, 131, 134, 136
- Chorda filum 115, 122, 128, 138; tomentosa 154
- Chordaria flagelliformis 115, 122, 124, 126, 127, 134, 138
- Choreocolax polysiphoniae 133
- Chroococcus limneticus 448; minimum 448
- Chrysanthemum leucanthemum 19
- Chrysopsis falcata 19, 27
- Chrysosphaerella longispina 463
- Cirsium 285, 286, 291, 293; altissimum 285, 286, 291; arvense 523; carolinianum 285, 286, 292; discolor 285, 286, 291; filipendulum 291, 295; Greenii 295; horridulum 285, 286, 288-290; lecontei 285, 286, 288; muticum 285, 286, 292; nuttallii 285, 286, 290; ochrocentrum var. helleri 296; pumilum 285, 286, 288, 289, subsp. pumilum 286; repandum 285, 286, 288; ser. Altissima 285, 290, 292; ser. Mutica 290; ser. Paniculata 286; ser. Undulata 285; ser. Virginiana 285; sect. Onotrophe 285; smallii 290; subg. Eucirsium 285, 286; subsect. Acanthophylla 285, 290; subsect. Campanulata 285, 290; subsect. Odorata 285, 286, 288; terrae-nigrae 285, 286, 291, 295; texanum 285, 293-295; turneri 59; undulatum 285, 293, 295; virginianum 285, 293,

- 295; vittatum 285, 286, 289, 290, 293; vulgare 27
- Cladonia* 19; sp. 21; *sylvatica* 21
- Cladophora* *albida* 154; *expansa* 154; *flexuosa* 118, 120, 526, f. *densa* 526; *gracilis* 120, 132, 526; *rupestris* 120; *sericea* 120, 526
- Clathromorphum* *circumscriptum* 133; *compactum* 153
- Claytonia* *arctica* 505
- Cleistes* *divaricata* 32
- Clematis* 198, 319; *virginiana* 198
- Clethra* *alnifolia* 33
- Cliftonia* *monophylla* 32
- Clitocybe* *sulphurea* 189-191
- Clitoria* *mariana* 32
- Closteriopsis* *longissima* 452, 453
- Closterium* *acerosum* 452; *dianae* 452; *kuetzingii* 452, *moniliferum* 452
- Codiolum* *pusillum* f. *longipes* 117
- Coelastrum* *microporum* 452
- Coelopleurum* *lucidum* 522
- Colacium* *arbuscula* 452, 453, 462; *vesiculosum* 452, 453, 462
- Coleman, James R. and Lyman B. Smith, Chromosome Numbers of Some Brazilian Angiosperms 548-551
- Compositae 515, 581; subtribe *Melampodiinae* 581
- Conioselinum* *chinense* 514
- Conopholis* *americana* 303
- Convolvulus* *arvensis* 172; *sepium* 516, var. *sepium* 522
- Conway, Joan R. and Edward J. Hehre, *Glaucium flavum* Crantz from Cape Cod 540
- Corallina* *officinalis* 116, 123, 125, 133
- Coreopsis* *angustifolia* 34; *cordifolia* 357, 358; *coronata* 398; *crassifolia* 398; *georgina* [var.] *nuda* 360, [var.] *pruinosa* 398; *lanceolata* 34; *major* 34; *pubesbens* 34
- Cornus* *florida* 437
- Corylaceae 514
- Cosmarium* *bioculatum* 452; *contractum* var. *papillatum* 452; *punctulatum* 454
- Cosmos* 319, 369; *bipinnatus* 412; *concolor* 319; *diversifolius* 319, 411
- Cottendorfia* *Rusbyi* 223
- Crepis* *capillaris* 174
- Crosswhite, Frank B., An Incorrect Correction 480
- Crotalaria* *breviflora* 550
- Crotalus* *lepidus* 69
- Croton* *alabamensis* 94-103, Disjunction and Endemism in 94; *capitatus* 32
- Cruciferae 563
- Crucigenia* *rectangularis* 454
- Cryptomonas* *erosa* 470, var. *reflexa* 470; *marssonii* 470; *ovata* 470
- Cryptospora* *pulviniceps* 194
- Ctenium* *aromaticum* 31
- Cucurbitaria* *echinata* 194, 195; *setosa* 194
- Cuphea* 485, 486, 492, A Re-evaluation of 481; *bustamanta* 481-483, 485, 486, 489, f. *reipublicae* 484, 485, var. *reipublicae* 485; *calaminthifolia* 481-483, 487, 489, 490-492; *carthagensis* 33; *corniculata* 481, 487, 489-491; *debilis* 481, 487, 490, 491; *imberbis* 481, 487, 490-492; *koehneana* 492; *paucipetala* 492; *reipublicae* 482, 484, 485; sect. *Heterodon* 481, 492; sect. *Leptocalyx* 481, 492; ser. *Bustamantae* 481, 482, 492
- Cuscuta* *gronovii* 33
- Cyathea* *arborea* 13; *bicrenata*

- 15; *hirsuta* 14
 Cyatheaaceae, The Alsophila
 swartziana Complex 7
 Cyclotella bodanica 467, compa
 467; *glomerata* 467; *stelligera*
 467
 Cymbella ventricosa 467
 Cynoctonum sessilifolium 33
 Cyperaceae 62
 Cyperus fuscus 433, in Nebraska
 and South Dakota 433; *grayii*
 23; *strigosus* 168
 Cypripedium acaule 108, f. *acaule*
 168; *calceolus* 303
 Cyrilla racemiflora 32
 Cystoclonium purpureum 127, 135
 Cystoderma 178; *amianthinum*
 var. *amianthinum* 180, f. *rugosoreticulum* 180, var. *sublongisporum* 180; *pulveraceum* 180
 Cystopteris fragilis ssp? 504
- Dahlia 309-315, 318, 319, 321,
 340, 359, 362, 364, 384, 392,
 397, 405, 406; *acutiflora* 410;
apiculata 313, 323, 342, 352,
 356, 357, 361; *arborea* 330;
astrantiaeflora 410; *atropurpurea* 313, 325, 365, 375-377;
australis 313, 315, 325, 355,
 376, 378-381, 383, 386, 388, 390,
 393, 565, Validation of the
 Name 565, var. *australis* 313,
 316, 379-384, 386, 387, 393, 565,
 var. *chiapensis* 313, 325, 379,
 380, 384-387, 393, var. *liebmannii* 313, 326, 379, 380, 383,
 384, 393, var. *serrator* 313,
 324, 325, 379, 380, 386, 387,
 393; *barkerae* 314, 326, 368, 369,
 375, 392-396; *bidentifolia* 397;
brevis 313, 319, 326, 368, 369,
 382, 395; *cardiophylla* 313,
 326, 357-359, 376; *cervantesii*
 398; *chisholmii* 398; *coccinea*
 309, 310, 314-316, 326, 352,
 362-364, 397-399, 401, 405-410,
 var. *coccinea* 399, 405, var.
gentryi 399, 405, 407, var.
palmeri 399, 405-408, var.
steyermarkii 399, 405-407;
coronata 314, 398; *cosmaeflora*
 352; *crocata* 397, 398; *crocea*
 398; *decaiseana* 352; *dissecta*
 313, 315, 334, 340, 343, 348,
 349, 351, 355, 382, var. *dissecta*
 313, 323, 340, 343, 344, 349,
 351, var. *sublignosa* 313, 323,
 343, 344, 350, 351; *dumicola*
 330; *excelsa* 313, 323, 327-330,
 338, 371, var. *anemonaeflora*
 327; *foeniculifolia* 313, 323,
 340, 343-345, 348; *frustranea*
 398; *fulgens* 410; *gentryi* 398,
 399; *gigantea* 410; *glabrata*
 352; *gracilis* 398; *hintonii* 313,
 326, 372, 373, 375; *imperialis*
 309, 313, 314, 323, 326, 328-
 330, 332, 334, 335, 338, 339,
 355, 363, 382; *juarezii* 410;
lehmannii 326, 330, 334, 335,
 var. *leucantha* 330, 333; *linearis*
 312, 313, 315, 323, 343-
 345, 348; *macdougallii* 309,
 313, 321, 323, 338, 339; *maximiliana*
 330, 371; *maxonii* 330;
merckii 313-316, 321, 323, 326,
 334, 341, 352, 354-356, 382, 393,
 411; *mollis* 313, 324, 361, 373-
 375; *moorei* 313, 322, 324, 372;
pinnata 310, 313, 314, 316, 321,
 325, 352, 359, 360-365, 368, 369,
 376, 411, var. *cervantesii* 398,
 var. *coccinea* 398, var. *gracilis*
 398, var. *nana* 359, var. *variabilis*
 360; *platylepis* 410; *popenovii*
 398; *pteropoda* 313, 324,
 367, 368; *pubescens* 368, 369,
 395, 396, 410; *purpurea* 360,
 410; *purpusii* 313, 326, 358,

- 359; pusilla 411; repens 411;
Revision of the Genus 309, 367;
rosea 310, 362, 411; royleana
411; rudis 313, 324, 365, 369,
370, 373, 376; **rupicola** 313,
315, 316, 323, 340, 343-348;
sambucifolia 359; scapigera
309, 314, 319, 326, 334, 342,
355, 382, 388, 390-394, 396,
var. **arsenii** 369, 393-395, var.
australis 381, 382, 393, 565, f.
australis 381, 382, 393, 565, f.
purpurea 381, 382, 393, var.
liebmannii 383, 393, var. **scapi-**
gera 393, f. **merckii** 352, 355,
393, f. **serrator** 386, 393, f.
scapigera 393, var. **typica** f.
typica 391; **scapigeroides** 313,
323, 341-344, 357, var. **apicu-**
lata 342, 356, 357, var. **typica**
341; sect. **Dahlia** 313, 322, 323,
352; sect. **Entemophyllon** 313,
322, 323, 340, 341, 348, 357;
sect. **Epiphytum** 313, 322, 323,
338; sect. **Pseudodendron** 313,
322, 326, 410; sect. **Neocaulon**
352; **sherffii** 314, 325, 376,
379-382, 387-390, 393; **sphon-**
dylifolia 411; **superflua** 360;
tenuicaulis 313, 323, 329, 335-
339; **tenuis** 314, 326, 396; **vari-**
abilis 312, 314, 360, 362, 411,
var. **excelsa** 327; **zimapana** 411
- Dasya pedicellata** 528
Daucus carota 20, 26
Dawes, Clinton J., Arthur C.
Mathieson and Harold J.
Humm, Contributions to the
Marine Algae of Newfound-
land 110-159
Decachaeta 579
DeFilipps, R., Parasitism in
Ximenea (Olacaceae) 439-443
Deianira erubescens 548, 550
Delamarea attenuata 126
Delphinium brachycentrum 505
Dermoloma 184
Desmarestia aculeata 126, 136,
137; **media** 153; spp. 155;
viridis 126
Desmidium baileyi 454; **swartzii**
454
Desmodium canadense 108
Deschampsia caespitosa var.
glauca 506; **flexuosa** 519
Deuterochonia 35, 224; **longi-**
petala 224; **strobilifera** 224, var.
inermis 225
Dianthus armeria 25
Diceras phaseolus 463
Dichromena colorata 31; **latifolia**
31
Dicranum scoparium 21
Dictyosiphon ekmanii 126; **foeni-**
culaceus 115, 124, 126, 127, 138
Dictyosphaerium ehrenbergianum
454; **pulchellum** 454
Dimorphococcus lunatus 454
Dinobryon bavaricum 448, 449,
463, 465; **crenulatum** 463-465;
cylindricum 448, 449, 451, 463,
465; **divergens** 463, 465; **sertu-**
laria 465; **suecicum** 464, 465;
vanhoeffenii 454, 465
Diodia teres 33; **virginiana** 33
Dothidea episphaeria 193, 195
Dothideales 196
Draba 105, 507; **alpina** 505;
borealis 505; **hirta** 505; **macro-**
carpa 505; **nivalis** 505; **ramo-**
sissima 303
Dracocephalum parviflorum 172
Drosera brevifolia 32; **capillaris**
32; **filiformis** 32; **intermedia**
32; **rotundifolia** 20, 25
Dryopteris fragrans 504; **spinu-**
losa var. **americana** 514;
Thelypteris var. **pubescens** 22
Dudley, T. R., Viburnum wur-
dackii, a new Peruvian Species

- 554-559
Dumontia incrassata 154
Dyckia 35, 230; *boliviensis* 231;
ferox 231; *gracilis* 231, 232;
leptostachya 230, 231; *Mezeana*
 231; *pulquinensis* 230, 231
Eastman, Lesley M., Triphora
trianthophora (Sw.) Rydb. in
 Maine 509
Echinodorus subulatus 550
Ectocarpus arctus 122; *confer-*
voides 122; *fasciculatus* 122;
siliculosus 122; *tomentosus* 122
Edwards, Maurice E., Iris verna
L.: Lectotype and Variety
Description 212-214
Elachista fucicola 117, 118, 125;
lubrica 125
Elaktothrix gelatinosa 454; *viridis* 452-454
Eleocharis halophila 23; *palustris*
 563; *parvula* 23; *Smallii* 563;
tuberculosa 31
Elephantopus elatus 34
Eleuterius, L. N. and S. B. Jones
Jr., A Floristic and Ecological
Study of Pitcher Plant Bogs in
South Mississippi 29-34
Elodea Nuttallii 167, 419
Elymus arenarius var. *villosus*
 519; *virginicus* 519, var. *halophilus* 22
Empetraceae 514
Enchnoa 199; *subcorticalis* 198,
 199
Enteromorpha elathrata 526;
erecta 118, 125; *groenlandica*
 118; *intestinalis* 116, 118, 527,
 528; *linza* 119; *micrococca* 119;
minima 119, 527; *plumosa* 119;
prolifera 119, 527; spp. 119,
 127
Entocladia wittrockii 117
Entophysalis conferta 116; *deusta*
 116; *granulosa* 116
Epilobium anagallidifolium 505;
angustifolium 505; *coloratum*
 171; *glandulosum* var. *adenocaulon*
 217, 522; *palustre* 505
Epipactis Helleborine 169, 564
Epipyxis tabellariae 464, 465;
utriculus 465
Equisetaceae 574
Equisetum arvense var. *boreale*
 167; *palustre* 504; *scirpoides*
 504
Eragrostis 480; *domingensis* 479,
 new to the United States 479;
spectabilis 31
Erechtites hieracifolia 27, 34
Ericaceae 514
Erigeron canadensis 34; *philadelphicum*
 34; *quercifolius* 34;
strigosus 34; *vernus* 34
Eriocaulon compressum 31; *de-*
cangulare 31; *lineare* 31
Eriophorum callitrix 508; *Scheuchzeri*
 var. *Scheuchzeri* 524;
vaginatum ssp. *vaginatum* 504;
virginicum 23
Eritrichium aretioides 506
Eryngium ebracteatum 548, 550;
integrifolium 33; *yuccifolium*
 var. *synchaetum* 33
Erythronium 563
Erythrotrichia carnea 131
Erythroxyton coca 438
Euastrium didelta 454; *pulchellum*
 454
Eudesme virescens 124; *zosteræ*
 125
Eudorina elegans 454
Euglena spirogyra 462
Euonymus atropurpureus 303
Eupatorium 566, 570, 577, 579;
A New Species of 577; *album*
 34; *anchisteam* 567-570, 572;
arsenei 566, 574, 576; *aschenbornianum*
 567, 570; *bellidifo-*

- lium 566, 567, 572, Revision of 566; capillifolium 34; choricephalum 566, 567, 570, 574-576; ciliatum 567; coelestinum 34; fistulinum 197; hyssopifolium 34; incomptum 579; lasium 566, 567, 572, 574; leucolepis 34; mariarum 567; muelleri 566, 567, 570, 572; *ovandense* 577-579; pazeuarensense 567; rothrockii 567; rotundifolium 34; rugosum 173, f. villicaule 173; sect. Eximbricata 566; sect. Hebecclinum 577, 579
- Euphorbia chamaesyce 32; corollata 32; maculata 32; polygonifolia 26; torrida 484
- Euphorbiaceae 497
- Euphrasia americana 172, 522; canadensis 172, 522; Randii 522
- Euthora cristata 153, 154
- Eutypa 195
- Exocarpus 441
- Fabaceae 497
- Farmer, Joe A. and Joab L. Thomas, Disjunction and Endemism in *Croton alabamensis* 94-103
- Festuca altaica 504; rubra 20, 22, var. rubra 519
- Ficus laurifolia 438
- Florida, Some Preliminary Statistics of the Flora of Southern 495
- Fosterella 35, 220; albicans 220, 221; gracilis 220, 223; graminea 220, 222; Pearcei 220; penduliflora 220, 223; Rusbyi 220, 221; schidosperma 220, 223; villosula 220, 222; Weddelliana 220, 221
- Fragilaria capucina 467; crotonensis 467
- Fucus distichus ssp. distichus 130, ssp. edentatus 130, ssp. evanescens 130; miclonensis 154; spiralis 154; spp. 123, 125; vesiculosus 115, 118, 125, 130-132
- Fuller, Stephen W. and Arthur C. Mathieson, A Preliminary Investigation of the Benthonic Algae of the Chesapeake Bay Region 524-534
- Fumaria officinalis 170
- Furcellaria fastigiata 154
- Galium Aparine 523; Brandegei 506; erectum 173; Mollugo 173; palustre 20, 27; ssp. 59; tinctorium 523
- Gaultheria procumbens f. suborbiculata 172
- Gaylussacia dumosa 33
- Gelsemium sempervirens 33
- Gentiana auriculata 506
- Georgia 321; variabilis 321
- Georgina 311, 312, 321; astrantiaeflora 411; bipinnata 412; cervantesii 398; coccinea 311, 312, 397-399, α coccinea 311, 397, β crocea 311, 397, γ flava 311, 397; crocata 398, 410; frustranea 312, α coccinea 397, β crocea 397, γ flava 397; petroselinifolia 412; purpurea 321, 359, 360; scapigera 390; superflua 312, 360, α rubra 360, β purpurea 360, γ lilacina 360, δ pallida 360, ϵ flavescens 360; variabilis 311, 312, 360, 362, [var.] lilacina 311, 360, [var.] pallida 311, 360, [var.] purpurea 311, 360
- Gibberidea setosa 194
- Giffordia granulosa 122; ovata 122, 132; sandriana 122
- Gigartina stellata 131, 135
- Glaucium flavum 540
- Glaux maritima 522
- Glendodinium aciculiferum 464, 465, 469

- Gloeobotrys limneticus* 463-465
Gloeocystis ampla 454; *gigas* 455;
scopulorum 117; *vesiculosa* 455
Gloeotheca linearis 448
Gloeotrichia echinulata 448, 449
Gloiosiphonia capillaris 134
Gnaphalium obtusifolium 27; *sylvaticum* 173; *uliginosum* 523
Gomphosphaeria 462; *aponina*
 116, 450, var. *delicatula* 450;
lacustris 450, var. *compacta*
 450
Gonatozygon aculeatum 455;
monotaenum 455; *pilosum* 455
Goniotrichum alsidii 131
Gonyaulax palustris 469
Gracilaria verrucosa 154, 528
 Graham, Shirley A., A Re-evaluation of *Cuphea*, sect. *Leptocalyx*, Series *Bustamantae* 481-493
 Gramineae 515
 Grashoff, J. L. and J. H. Beaman, Studies in *Eupatorium* (Compositae), I. Revision of *Eupatorium bellidifolium* and Allied Species 566-576, II. A New Species of *Eupatorium* (section *Hebeclinum*) 577-579
 Gruendling, Gerhard K. and Arthur C. Mathieson, Phytoplankton Flora of Newfoundland and Winnisquam Lakes, New Hampshire 444-477
 Guignardia *rhodorae* 201
Guzmania 36, 235, 267; *calothyrsa* 267, 268; *complanata* 250; *lingulata* 267; *Melinonii* 267, 268; *obtusa* 266; *retusa* 267, 268; *Roetzlii* 267; *tricolor* 245
Gymnodinium fuscum 469; *palustre* 469
Gymnospermae 514
Gymnozyga moniliformis 455
Habenaria × *Andrewsii* 542; *blephariglottis* 32, 542; *Chromosome Studies* in 541; *ciliaris* 32; *clavellata* 542; *cristata* 32; *dilatata* 542; *fimbriata* 542; *flava* 542; *Hookeri* 542; *hyperborea* var. *huronensis* 542; *lacera* 542; *nivea* 32; *orbiculata* 542; *psycodes* 542; *viridis* var. *bracteata* 542
Halopteris scoparia 124
Halosaccion ramentaceum 135
Hamamelis virginiana 32
Haplospora globosa 124
 Harriman, Neil A., *Magnolia tripetala* L. and *Aralia spinosa* L. in St. Louis County, Missouri 478-479
 Harris, Stuart K. 493, Notes on the Flora of Coös County, New Hampshire 166-174
 Harvill, A. M. Jr., *Isotria medeoloides* on the Piedmont of Virginia 303-304
Hedyotis australis 218; *crassifolia* 218; *rosea* 218; spp. 59
Hedysarum alpinum ssp. *americanum* 505
 Hehre, Edward J. and Joan R. Conway, *Glaucium flavum* Crantz from Cape Cod 540
 Heiser, Charles B. Jr., Nightshades — The Paradoxical Plants (Review) 561
Helenium amarum 34; *nudiflorum* 174; *vernale* 34
Helianthus angustifolius 34; *divaricatus* 34; *heterophyllus* 34; *lactiflorus* 174; *radula* 34; *tuberosus* 174
Helicodea 275
Hemisphaerales 197
Heracleum maximum 300
Herpotrichiellaceae 195, 196
Heterotheca graminifolia 34; *mariana* 34; *nervosa* 34; spp. 59
Hibiscus aculeatus 33

- Hidalgo 319
Hierochloa pauciflora 508
Hildenbrandia prototypus 134
Hodgdon, A. R., Added Note on Edith Scamman 165; and R. B. Pike, Continued Botanizing on the Wolf Islands, New Brunswick 297-302; and Radcliffe B. Pike, Floristic Comparison of Three Bird Islands in the Gulf of Maine 510-523; R. B. Pike and Harry R. Tyler, Jr., More Additions to the Flora of Grand Manan, New Brunswick 306-308
Homostegia parasitica 194
Hordeum jubatum 519
Hudsonia 19, 21, 23; *tomentosa* 26
Hultén, Eric, Flora of Alaska and Neighboring Territories: A Manual of the Vascular Plants (Book Review) 104
Humaria hemisphaerica 202
Humm, Harld J., Arthur C. Mathieson and Clinton J. Dawes. Contributions to the Marine Algae of Newfoundland 110-159
Hura crepitans 439
Hyalotheca dissiliens 435
Hybanthus concolor 303
Hydrocotyle umbellata 33
Hygrophorus angelesianus 184; *conicoides* 182; *conicus* 182, f. 180-182; *cossus* 182; *fibrillosus* 182-184; *marginatus* var. *concolor* 184, var. *olivaceus* 185; *recurvatus* 185; *schulzeri* 185, 186; *tephroleucus* var. *tephroleucus* 186
Hypericum boreale 26; *cistifolium* 33; *denticulatum* 33; *fasciculatum* 33; *stans* 33; *virginicum* 21, 26
Hypoxis micrantha 32
Hyptis alata 33
Ilex 198; *coriacea* 32; *glabra* 32; *verticillata* 26; *vomitaria* 32
Impatiens capensis 522
Ipomoea Careltoni 175; *longifolia* 175; *pandurata* 175; *Shumardiana* 175
Iris 212; *prismatica* 213; *verna* 212-214, Lectotype and Variety Description 212, var. *Smalliana* 213, 214, var. *verna* 213; *versicolor* 20, 21, 24, 514, 520
Isotria medeoloides 304
Itea virginica 32
Jaynes, Richard A., Chromosome Counts of *Kalmia* Species and Revaluation of *K. polifolia* var. *microphylla* 280-284; ed., Handbook of North American Nut Trees (Review) 561
Jones, S. B. and L. N. Eleuterius, A Floristic and Ecological Study of Pitcher Plant Bogs in South Mississippi 29-34
Juncus acuminatus 23; *biflorus* 32; *brachycarpus* 32; *bufonius* 515, 520, var. *halophilus* 520; *canadensis* 32; *effusus* 21, 23, 32; *elliottii* 32; *Fauriensi* 505, 506; *gerardi* 23, 25; *greenei* 23; *marginatus* 32; *scirpoides* 32; sp. 505, 506; *validus* 32
Juniperus communis 197, var. *depressa* 167; *virginiana* 22
Justicia 548; *leucophloea* 548, 551
Kalmia 280, 283; *angustifolia* 19, 282-284; *cuneata* 281, 283, 284; *glauc* 280; *hirsuta* 281-284; *latifolia* 280, 282-284; *microphylla* 280-284; *polifolia* 280-284, var. *microphylla* 280, 284, Revaluation of 280, var. *polifolia* 280, 282, 284, var. *rosmarinifolia* 280, \times *microphylla* 281, 282

- Kansas, Additions to the Flora of 175
 Kirchneriella contorta 452, 453, 455; lunaris 455, var. diana 455; obesa var. aperta 455
 Kobresia simpliciuscula 504
 Koch, Rudy G., Additions to the Kansas Flora 175-176
 Kylinia alariae 132; compacta 132; hallandica 132; moniliformis 132; secundata 132; virgatula 132
- Labiatae 514
 Lachnanthes caroliniana 32
 Lachnocaulon anceps 31; minus 31
 Lafoensia pacari 548, 550
 Lakela, Olga, Eragrostis dominicensis (Pers.) Steud. new to the United States 479-480; Robert W. Long and C. Rose Broome, Some Preliminary Statistics of the Flora of Southern Florida 495-501
 Laminaria agardhii 129, 153; digitata 128, 129; groenlandica 129, 153; longicruris 154; nigripes 129; saccharum 129
 Laminariocolax tomentosoides 154
 Lamium maculatum f. lacteum 172
 Laphamia cernua 76; cinerea 90; quinquefolia 78; rupestris 58, 74, 81, 83
 Lathyrus japonicus 19, 20, 26, 516, 522; palustris 522
 Leathesia difformis 125
 Lechea maritima 19, 26
 Leguminosae 515
 Lemna minor 168
 Leontodon autumnalis 523
 Lepidium virginicum 25
 Leptonema fasciculatum 154
 Leptophytum laeve 133
 Leptosphaeria 198; macrospora 196, 197; senecionis 197
 Lepuropetalon spathulatum 217
 Lespedeza capitata 32
 Liatris aspera 34; elegans 34; gracilis 34; spicata var. resinosa 34
 Ligusticum mutellinoides 506; scoticum 514, 522
 Liliaceae 514, 562
 Lilium catesbaei 32; michiganense 563; superbum 563
 Limonium carolinianum 27
 Linaria canadensis 27; vulgaris 27
 Lindmania gracilis 223; graminea 222; Pearcei 220; penduliflora 223; Rusbyi 221; villosula 222; Weberbaueri 223; Weddelliana 221
 Linnaea borealis 508
 Linum striatum 32; virginianum 32
 Lippia nodiflora 33
 Liquidambar styraciflua 32
 Lithothamnium glaciale 133; laeve 133; tophiforme 133
 Loasa 548; rupestris 548, 550
 Lobelia floridana 33; glandulosa 33; puberula 33
 Lolium multiflorum var. diminutum 168; perenne 167
 Long, Robert W., Olga Lakela and C. Rose Broome, Some Preliminary Statistics of the Flora of Southern Florida 495-501
 Lonicera sempervirens 33
 Lophiola americana 32
 Lorinseria areolata 31
 Lotus corniculatus 171
 Ludwigia palustris 20, var. americana 26; hirtella 33; pilosa 33
 Lunatia heros 117
 Lupinus polyphyllus 170
 Luzula arctica 505; multiflora ssp. multiflora 505

- Lychnis alba* 306; *Flos-cuculi* 169
Lycopodiaceae 514
Lycopodium adpressum 31; *alopeuroides* 31; *alpinum* 504; *carolinianum* 31; *clavatum* ssp. *monostachyon* 504; *inundatum* 20, 22; *prostratum* 31; *Selago* 256
Lycopus americanus 20, 27; *rubellus* 33; *uniflorus* 522
Lyngbya aestuarii 154; *conferoides* 116
Lyonia ligustrina 26, 33
Lysimachia punctata 166, 172; *quadrifolia* 307
Lythrum Salicaria 171

Magnolia tripetala 478, in *St. Louis County, Missouri* 478; *virginiana* 32
Maine, Floristic Comparison of Three Bird Islands in the Gulf of 510; *Triphora trianthophora* in 509
Malachodendron 437; *ovatum* 437
Mallinoa corymbosa 571
Mallomonas acaroides 465; *elegans* 465; *fastigiata* 466; *producta* 466; *pseudocoronata* 466; *tonsurata* 466
Malva moschata f. *heterophylla* 171, f. *laciniata* 171, f. *moschata* 171
Malvaceae 497
Manisuris cylindrica 31
Massachusetts, The Flora of Monomoy Island 18
Mathieson, Arthur C. and Stephen W. Fuller, A Preliminary Investigation of the Benthonic Marine Algae of the Chesapeake Bay Region 524-534; and Gerhard K. Gruendling, Phytoplankton Flora of Newfoundland and Winnisquam Lakes, New Hampshire 444-477; Clinton J. Davis and Harold J. Humm, Contributions to the Marine Algae of Newfoundland 110-159
Matricaria matricarioides 523
Melampyrum 441
Melandrium affine 505
Melanthium virginicum 32
Melosira 471; *ambigua* 467; *distans* 467; *italica* 467, subsp. *subarctica* 468, var. *tenuissima* 448, 449, 468
Melothria pendula 175
Membranoptera alata 137; *denticulata* 137
Mentha arvensis var. *arvensis* 307, var. *villosa* 307
Meridion circulare var. *constrictum* 468
Merismopedia punctata 450; *tenuissima* 450
Mertensia maritima 516, 522
Micrasterias radiata 456; *radiosa* 456
Microcoleus tenerrimus 116
Microthyriaceae 197
Microthyrium epimyces 195
Minuartia arctica 505; *obtusiloba* 505
Mississippi, A Floristic and Ecological Study of Pitcher Plant Bogs in South 29
Missouri, *Magnolia tripetala* and *Aralia spinosa* in *St. Louis County* 478
Monarda media 172
Moneses uniflora 171
Monostroma fuscum f. *blyttii* 119; *grevillei* 119; *oxyspermum* 119, 527; *pulchrum* 119
Morton, C. V., A New Weed Introduction in New England, *Atriplex sibirica* 580-581
Mougeotia sp. 456
Moul, Edwin T., Flora of Mono-

- moy Island, Massachusetts 18-28
- Muhlenbergia expansa 31
- Mycena citrinomarginata 186, 187
- Myosotis sylvatica 172
- Myrica cerifera 32; inodora 32; pennsylvanica 19, 20, 24, 32
- Myricaceae 514
- Myrionema strangularis 125
- Myriotrichia filiformis 127
- Nasturtium montanum 552
- Nebraska, Cyperus fuscus in South Dakota and 433
- Nephrocytium ecdysiscepanum 456; limneticum 452, 453, 456; lunatum 452, 453, 456
- Neviusia alabamensis 100
- New Brunswick, Continued Botanizing on the Wolf Islands 297; More Additions to the Flora of Grand Manan 306
- New England, A New Weed Introduction, Atriplex sibirica, in 580; The Phytogeography of Subalpine Black Spruce in 1
- New Hampshire, Notes on the Flora of Coös County 166; Phytoplankton Flora of Newfound and Winnisquam Lakes 444
- Newfoundland, Contributions to the Marine Algae of 110
- Nicotiana glauca 548, 551
- Nitschkea flageoletina 195
- North America, A Definitive New Book on the Flora of Northwestern 104; Contributions to the Fungus Flora of Northeastern 177
- Nymphaea odorata 25
- Nyssa sylvatica 33, var. biflora 33
- Obione 580; muricata 580; sibirica 580
- Oedogonium 451, 463; spp. 456
- Oenothera fruticosa 33
- Oklahoma, The Vascular Flora of — Additions and Corrections 215
- Olax 439, 441
- Olson, Willis A. and Gerald B. Ownbey, Cytotaxonomic Notes on the Species of Cirsium Native to the Southeastern United States 285-296
- Omphalophyllum ulvaceus 154
- Onagraceae 514
- Onoclea sensibilis 20, 22
- Oocystis borgei 456; elliptica 456; lacustris 456; parva 456
- Ophiocytium capitatum 463
- Ophioglossum crotalophoroides 216; engelmanni 216; vulgatum 216
- Orchidaceae 497, 514, 562
- Oscillatoria granulata 450; limnetica 450
- Osmunda cinnamomea 21, 22, 31, 514, 519, f. frondosa 167; regalis var. spectabilis 31
- Ostrya virginiana 303
- Ownbey, Gerald B. and Willis A. Olson, Cytotaxonomic Notes on the Species of Cirsium Native to Southeastern United States 285-296
- Oxypolis filiformis 33
- Pachythyrrium parasitica 194
- Panax quinquefolius 303; trifolium 171
- Panicum aciculare 31; commutatum 31; dichotomiflorum var. geniculatum 168; lanuginosum 31; leucothrix 31; longiligulatum 31; miliaceum 168; repens 31; sphaerocarpon 31; verrucosum 31; virgatum 23, 31:

- wrightianum 31
Pantoneura baerii 153
Pappothrix 58, 59, 61, 74; *cernua* 76; *cinerea* 90; *quinquefolia* 78; *rupestris* 82
Parsonia bustamanta 484
Paspalum difforme 31; *floridanum* 31; *notatum* 31; *urvillei* 31
Pediastrum araneosum 456; *boryanum* var. *longicorne* 456; *duplex* 456, var. *clathratum* 457, f. *gracillimum* 457; *simplex* var. *duodenarium* 457; *tetras* 457, var. *tetraedon* 457
Pedicularis sudetica ssp. *albobiata* 506
Pelargonium 441; *hortorum* 439, 440
Penstemon tubaeiflorus 480; *tubiflorus* 480
Percursaria percursa 119
Peridinium cinctum 469; *inconspicuum* 464, 465, 469; *limbatum* 464, 465, 469; *willei* 464, 465, 469; *wisconsinense* 469
Perityle 58, 60, 61, 68, 75; *angustifolia* 65, 92; *bisetosa* 89; *cernua* 60, 61, 65, 66, 68-73, 75-77, 79, 81; *cinerea* 60, 61, 65, 66, 69-75, 79, 90-92; *incana* 91; *quinquefolia* 61, 65, 66, 68, 69, 72, 73, 75, 77-81, 85; *Parryi* 65; *rupestris* 60, 61, 66, 68-70, 73, 80, 81, 85-88, var. *albiflora* 63, 65, 66, 72-75, 79, 81, 84, 85, 87, 89, var. *rupestris* 62, 65, 66, 68, 72, 74, 75, 79, 81, 82, 85, 87, 91; sect. *Laphamia* 61, 65, 68, 75, 92; sect. *Pappothrix* 58-61, 64-66, 68-75, 77, 79, 88-90; sect. *Perityle* 61, 65, 75, *staurophylla* 58; *vitreomontana* 61, 65, 66, 68, 69, 71-75, 79, 88-91
Persea borbonia 32
Petalonia fascia 127, 132, var. *zosterifolia* 127
Petalostemum pinnatum 32
Peterson, Roger Tory and Margaret McKenna, Field Guide to Wildflowers of Northeastern and North Central North America (Book Review) 107
Peyssonnelia rosenvingii 154
Pezizales 201
Phalaris canariensis 168
Phleum pratense 519
Phlox carolina 33; *divaricata* 303; *pilosa* 33
Phragmites communis 19, 23
Phycodrys rubens 137
Phyllachora episphaeria 193
Phyllodoce caerulea 506
Phyllophora brodiaei 135; *membranifolia* 135
Phymatolithon compactum 133; *laevigatum* 154; *lenormandi* 154; *rugulosum* 133
Physalospora thistletonia 201
Phytolacca americana 20, 25, 32
Picea brevifolia var. *semiprostrata* 1, 2; *mariana* 1, f. *semiprostrata* 2, var. *brevifolia* 2, var. *semiprostrata* 1-6
Pike, R. B., Notes on Recent Books 561
Pike, Radcliffe B. and A. R. Hodgdon, Continued Botanizing on the Wolf Islands, New Brunswick 297-302; Floristic Comparison of Three Bird Islands in the Gulf of Maine 510-523; and Henry R. Tyler, Jr., More Additions to the Flora of Grand Manan, New Brunswick 306-308; Notes on Recent Books 561
Pilayella littoralis 123
Pilinia lunatae 117
Pinguicula caerulea 33; *lutea* 33
Pinkley, Homer V., Etymology of Psychotria in View of a New

- Use of the Genus 535-540
Pinus 337, 338; *elliottii* 31; *palustris* 31; *rigida* 20, 22; *sylvestris* 21, 22, 167; *taeda* 31
Piper *chaba* 439
Pitcairnia 35, 225; *Bangii* 45; *biattenuata* 228; *Brittoniana* 226, 230; *Cardenasii* 226, 229; *consimilis* 46; *crassa* 226, 229; *divaricata* 226, 227; *ferruginea* 46; *grandiflora* 44; *inermis* 226, 228; *lanuginosa* 226, 229; *mirabilis* 50; *multiramosa* 226; *nana* 54; *odontopoda* 226, 227; *paniculata* 226, 228; *platystemon* 226; *rigida* 229; *robusta* 43, 44; *sessiliflora* 229, 230; *subpetiolata* 229; *Trianae* 226, 228
Plantago *juncoides* 515, var. *decipiens* 523; *major* 523; *oliganthos* 21, 27, 523
Platanus 544, 546; \times *acerifolia* 546; *mexicana* 546; New Chromosome Counts in *Ulmus* and 544; *occidentalis* 546, var. *glabrata* 546; *orientalis* 546; *racemosa* 546; *wrightii* 547
Platonia *bairdii* 135
Pleosphaeria *echinata* 194
Pleospora 197; *nigerrima* 193; *vitalbae* 196, 198
Pleosporaceae 196, 197
Pleurotaenium *trabecula* 457
Pleurotus 190
Plicaria *trachycarpa* 201
Pluchea *purpurascens* 20, var. *succulenta* 28; *rosea* 34
Pleurocapsa *kernerii* 154
Plumaria *elegans* 137
Poa *alpigena* 299, 504; *annua* 519; *compressa* 519; *irrigata* 299; *palustris* 519; *pratensis* 298, 299, 519; *subcaerulea* 297-299, 302
Poaceae 497
Pogonia *affinis* 304; *pendula* 509; *ophioglossoides* 20, 24, 32
Polunin, Nicholas, Edith Scamman: An Appreciation 160-164
Polygala *cruciata* 32; *cymosa* 32; *incarnata* 32; *lutea* 32; *mariana* 32
Polygonaceae 515
Polygonum *aviculare* 306, 520, var. *vegetum* 169, 306; *Bistorta* ssp. *plumosum* 505; *Convulvulus* 520; *pensylvanicum* 24; *Persicaria* 520, f. *albiflorum* 169, var. *ruderales* 169; *punctatum* var. *leptostachyum* 24; ssp. 20
Polyides *caprinus* 134; *rotundus* 134
Polymnia *canadensis* 303; *maculata* 211; *uedalia* 204, 205, 207, 210, 211, var. *densipilis* 204-210, var. *floridana* 204-210, var. *uedalia* 204-210
Polypodiaceae 514
Polypodium *armatum* 13
Polypremum *procumbens* 33
Polysiphonia *arctica* 137; *elongata* 137; *fibrillosa* 137; *flexicaulis* 117, 137; *harveyi* 138, 527, 528; *lanosa* 117, 133, 138; *nigra* 138; *nigrescens* 123, 138; *novae-angliae* 138; ssp. 115; *urceolata* var. *patens* 138
Polytrichum *commune* 20, var. *perigoniale* 21
Populus *alba* 169; *deltoides* 175
Porphyr *linearis* 154; *miniata* 124, 131; *umbilicalis* 131, f. *epiphytica* 131
Potamogeton *perfoliatus* ssp. *Richardsonii* 504; *subsibiricus* 504; *vaginatus* 504
Potentilla 507; *anserina* 521; *canadensis* 170; *Egedii* var. *Egedii* 505, var. *groenlandica* 25, 521; *elegans* 505; *norvegica* 521; *uniflora* 505

- Powell, A. Michael, Taxonomy of Perityle, Section Pappothrix (Compositae-Peritylanae) 58-93
- Prasiola crispa* 154
- Prestonia acutifolia* 548, 550
- Primula nivalis* 506
- Pringsheimiella scutata* 117
- Proserpinaca pectinata* 33
- Protoderma marinum* 118, 527
- Prunus maritima* 19, 20, 25; *persica* 25; *serotina* 20, 25
- Pseudananas* 36, 278; *sagenarius* 278
- Pseudapiospora thistletonia* 201
- Pseudendoclonium marinum* 118, 527
- Pseudomassaria erumpens* 200; *inversa* 199, 200; *leucothoës* 201; *oxydendri* 200; *thistletonia* 199-201
- Pseudombrophila deerrata* 201
- Psychotria* 535-537, Etymology of 535; *viridis* 535, 538, 539
- Psychotrophum* 535, 537
- Pteridium aquilinum* 31
- Ptilimnium capillaceum* 20, 21, 26
- Ptilota pectinata* 153; *plumosa* 137; *serrata* 137
- Ptychopetalum* 439
- Puccinellia laurentiana* 519; *pau-percula* var. *alaskana* 519
- Punctaria latifolia* 127; *plantaginea* 127, 153
- Puya* 35, 36, 49; *alata* 37, 41; *alba* 38, 47; *atra* 39, 48; *boliviensis* 56; *Brittoniana* 41, 55; *Cardenasii* 40, 53; *cristata* 37, 43; *ctenorrhyncha* 40, 52; *dyc-kioides* 39, 48; *ferruginea* 38, 39, 46; *Fiebrigii* 38, 39, 44; *Forsteriana* 40, 52; *glabrescens* 39, 40, 48; *glareosa* 38, 39, 45; *Hauthalii* 41, 42; *Herzogii* 40, 53; *Hofstenii* 37, 41; *humilis* 41, 55; *Kuntzeana* 39-41, 50; *lasiopoda* 40, 51; *laxa* 37, 43; *leptostachys* 40, 53; *Meziana* 38, 39, 44; *micrantha* 56; *minima* 39, 50; *mirabilis* 39, 50; *mollis* 39, 40, 49; *nana* 41, 54; *olivacea* 38, 45; *paupera* 40, 41, 51; *Pearcei* 38, 47; *penduliflora* 38, 47; *potosina* 37, 42; *Raimondii* 41, 56, 57; *reducta* 39, 49; *riparia* 38, 46; *Rusbyi* 37, 42; *sanctae-crucis* 38, 43; *secunda* 38, 44; *spathacea* 41; *stenothyrsa* 38, 39, 45; subg. *Pitcairniopsis* 36, 37; subg. *Puya* 37; *tristis* 40, 52; *Trollii* 37, 42; *tuberosa* 39, 49; *tunarensis* 40, 54; *Ugentiana* 40, 52; *ultima* 37, 41; *valida* 40, 51; *Weddelliana* 41, 55; *Werdermannii* 55
- Pyrenophora macrospora* 197, 198
- Pyrola elliptica* 307; *grandiflora* 508
- Pyrus arbutifolia* 25; *floribunda* 307; *melanocarpa* 307
- Quadrigula closterioides* 457; *lacustris* 457
- Ralfsia clavata* 123; *fungiformis* 123; *verrucosa* 123
- Ranunculus acris* 521; *aquatilis* ssp? 505; *Cymbalaria* 516, 521; *Gmelini* 505; *pedatifidus* ssp. *affinis* 505; *repens* 170, var. *villosus* 521; *reptans* 505; *trichophyllus* var. *trichophyllus* 170; *Turneri* 508
- Raphanus Raphanistrum* 521, f. *albus* 170
- Rhexia alifanus* 33; *cubensis* 33; *lutea* 33; *mariana* 33; *Nashii* 33; *virginica* 33
- Rhinanthus Crista-galli* 172, 523
- Rhizoclonium kernerii* 120; *riparium* 116, 526, var. *implexum*

- 121; ssp. 117, 119; tortuosum 121
- Rhizosolenia eriensis 468
- Rhode Island, A Station for Luminous Moss 305
- Rhodochorton purpureum 132
- Rhododendron lapponicum 200; maximum 201
- Rhododermis georgii 134; parasitica 134
- Rhodomela confervoides 124, 138; lycopodioides 154
- Rhodomonas lacustris 464, 465, 470
- Rhodophyllis dichotoma 154
- Rhodophysema elegans 134; georgii 134
- Rhodymenia palmata 116, 132, 136
- Rhoeo 564; spathacea 441
- Rhus aromatica 303; radicans 19, 20, 25, 26; typhina 171; vernix 32
- Rhynchospora caduca 31; cephalantha 31; chalarocephala 31; chapmanii 31; corniculata 31; filifolia 31; glomerata 31; gracilentia 31; harveyi 31; inexpansa 31; macra 31; microcephala 31; oligantha 31; plumosa 31; rariflora 31; tracyi 31
- Rhytiglossa 548; leucophloea 548
- Riba, Ramon, The Alsophila swartziana complex (Cyatheaaceae) 7-17
- Ribes glandulosum 514; hirtellum 514; lacustre 514
- Rollins, Reed C., A Definitive New Book on the Flora of Northwestern North America (Review) 104-106; On A Weed Species of Rorippa 552-553
- Rorippa heterophylla 552; indica 552, var. apetala 552, 553, var. indica 552; montana 552
- Rosa carolina 25; nitida 25; rugosa 19, 25
- Rubiaceae 497, 535
- Rubus arcticus 505, 507, 508; hispidus 25; idaeus 514, var. strigosus 25, 521; trivialis 32
- Rudbeckia hirta 34
- Ruellia noctiflora 33
- Rumex acetosella 24, 520; crispus 20, 24, 520; domesticus 520; graminifolius 505; maritimus var. fueginus 24; obtusifolius 197; orbiculatus 300, 520; palidus 520
- Ruppia maritima 22
- Sabatia campanulata 33; dodecandra 33; macrophylla 33
- Saccorhiza dermatodea 129
- Sagina procumbens 521
- Salicaceae 514
- Salicornia bigelovii 24; europaea 24; spp. 21; virginica 24, 560
- Salix discolor 20, 24, \times humilis 169; gracilis var. tectoris \times rigida 169; pellita 302, 306
- Salsola Kali 24
- Sanguinaria canadensis 170
- Santamour, Frank S., New Chromosome Counts in Ulmus and Piatanus 544-547
- Sarracenia alata 29, 30, 32; psittacina 32
- Saxifraga Aizoon 170; cernua 170; oppositifolia ssp. oppositifolia 505; spicata 508
- Saxifragaceae 514
- Scamman, Edith, An Appreciation 160; Added Note on 165
- Scenedesmus abundans 457; acutiformis 457; arcuatus var. platydisca 457; bijuga 457; brasiliensis 457; dimorphus 457; opoliensis 457; quadricauda 458, var. parvus 458, var. Westii 458; serratus 458

- Schistostega pennata* 305
Schizothrix calcicola 116
Schrankia occidentalis 217
Schroederia judayi 452, 453, 458;
 setigera 458
Scirpus 513; *americanus* 23, 31;
 cyperinus 23
Scleria georgiana 31; *oligantha*
 31; *reticularis* 31
Scutellaria epilobiifolia 20, 27; *in-*
 tegrifolia 33
Scytonema sp. 154
Scytosiphon lomentarius 127
Sedum Rosea 521; *spurium* 170
Selaginella spp. 59
Senecio atropurpureus 507
Sertularia 132
Silene noctiflora 306
Sisymbrium 552
Sisyrinchium albidum 32; *angus-*
 tifolium 24; *montanum* 520
Smilacina stellata 520, var.
 crassa 23
Smilax laurifolia 32; *rotundifolia*
 24, 32; *smallii* 32
Smith, Lyman B., *The Bromelia-*
 ceae of Bolivia 35-57, 220-279;
 and James R. Coleman, *Chro-*
 mosome Numbers in Some Bra-
 zilian Angiosperms 548-551
Solanaceae 561
Solanum asperum 551; *Dul-*
 camara 522; *nigrum* 522;
 paniculatum 551; *rufum* 551;
 sarachoides 172; sp. 551
Solidago 514; *odora* 34; *petiolata*
 34; *puberula* 301; *Randii* 166;
 rugosa var. *villosa* 523; *sem-*
 pervirens 19, 28, 523; *squar-*
 rosa 166; *tenuifolia* 28
Sonchus asper 28, 523; *oleraceus*
 523
Sorastrum spinulosum 458
Sorbaria sorbifolia 306
Sorbus arbutifolia 32
Sorenson, Paul D., *Revision of the*
 Genus Dahlia (Compositae-Hel-
 iantheae-Coreopsidinae) 309-
 416; *Validation of the Name*
 Dahlia australis 565
Sorocarpus micromorus 154
South Dakota, *Cyperus fuscus* in
 Nebraska and 433
Sparganium androcladum 167;
 hyperboreum 504
Spartina alterniflora 23; *patens*
 20, 22-24, 27
Spergularia canadensis 521; *ma-*
 rina 25, var. *leiosperma* 521
Sphacelaria cirrosa 123; *fusca*
 528; *plumosa* 124; *racemosa*
 var. *arctica* 123
Sphaeria nigerrima 193; *subcor-*
 ticalis 198
Sphaeriaceae 200
Sphaerocystis schroeteri 458
Sphaerotrichia divaricata 125
Sphagnum palustre 20, 21
Spiraea tomentosa 26
Spiranthes praecox 32; *vernalis*
 32
Spirogyra spp. 460
Spirulina laxa 450; *subsalsa* 117
Spongomorpha arcta 121, 134;
 hystrix 121; *lanosa* 121; *spin-*
 escens 121
Sporobolus junceus 31; *neglectus*
 168
Spondylosium planum 460
Spyridia filamentosa 528
Staurostrum anatinum var. *longi-*
 brachiatum 460; *ankyroides*
 460; *arctiscon* 460; *cingulum*
 460; *cuspidatum* 461, var. *can-*
 adense 461; *dickiei* 461; *john-*
 sonii 460; *limneticum* var.
 cornutum 458-460; *manfeldtii*
 458-460; *megacanthum* 462;
 pentacerum 458-460; *pilosum*
 461; *pingue* 458, 459, 461;
 pseudopelagicum 458, 459, 461;
 vestitum 461

- Staurodesmus bulnheimii* 461;
cuspidatus 461; *dickiei* 461; *extensus* var. *joshuae* 461; *incus* var. *ralfsii* 461; *mamillatus* var. *maximum* 461; *megacanthus* 462; *subtriangularis* 462
 Steele, Frederic L., A New Wildflower Guide (Book Review) 107-109
Stellaria ciliatosepala 505; *graminea* 521; *media* 521
 Stephens, H. A. and Ronald R. Weedon. *Cyperus fuscus* in Nebraska and South Dakota 433
Stewartia 434, 437, A Seventeenth Century Record for 434; *Malachodendron* 437, 438; *ovata* 434, 436-438; *pentagyna* 434
Stichococcus marinus 118
Stictyosiphon tortilis 127
Stigmatea sylvatica 197
Stipitococcus capense 463
Stokesia laevis 34
Streptocalyx 36, 269; *Fuerstenbergii* 269; *Poeppigii* 269
Streptopus spp. 514
Strongylocentrotus drobachiensis 155
 Stuckey, Irene H., A Range Extension for *Suaeda americana* in New England 560-561
Stylosphaeridium stipitatum 462
Styrax americana 33; *grandifolia* 33
Suaeda americana 521, 560, A Range Extension in New England for 560; *linearis* 560; *maritima* 24; *Richii* 521
 Svenson, Henry K., A Model Flora of Ohio—"The Monocotyledoneae" by E. Lucy Braun (Book Review) 562-564
Symplocos tinctoria 33
Synedra ulna 468
Synesiella exigua 196; *juniperi* 197
Synura adamsii 464-466; *uvella* 466
Tabellaria 465; *fenestrata* 468; *flocculosa* 468
Tamarindus indica 438
Taraxacum erythrospermum 523; *officinale* 523
Taxodium ascendens 31
 Taylor, Constance and R. John Taylor, The Vascular Flora of Oklahoma—Additions and Corrections 215-219
 Taylor, R. John and Constance Taylor, The Vascular Flora of Oklahoma—Additions and Corrections 215-219
 Teeri, James A., The Phytogeography of Subalpine Black Spruce in New England 1-6
Tetraedon limneticum 462
Teucrium canadense 20, 27
Thalictrum polygamum 521
 Thomas, Joab L. and Joe A. Farmer, Disjunction and Endemism in *Croton alabamensis* 94-103
Thyridaria rubro-notata 196, 198
Tillandsia 36, 232-235; *adpressa* 240, 263, var. *Tonduziana* 263; *apoloensis* 253; *australis* 241; *Bakeri* 240, 262; *bandensis* 239, 254; *Bangii* 240; *biflora* 237, 238, 245; *boliviana* 236, 242; *boliviensis* 237, 244; *bryoides* 239, 256; *Buchtienii* 244; *calocephala* 237, 247; *capillaris* 239, 258, f. *cordobensis* 259, f. *Hieronymi* 260, f. *incana* 259, f. *virescens* 259; *Cardenasii* 237, 248; *caulescens* 238, 249; *complanata* 237, 247; *condensata* 253, 254; *confinis* 237, 243; *confusa* var. *saxatilis* 252; *crassifolia* 250; *crocata* 238, 254; *decomposita* 252;

- Deppiana var. *latifolia* 240;
didisticha 238, 250; *Duratii*
 238, 252, var. *saxatilis* 252;
Fendleri 236, 240; *flexuosa* 262;
Friesii 249; *funnebris* 239, 257;
fusco-guttata 237, 245; *Gilliesii*
 239, 257; *Guentheri* 244; *Her-*
zogii 253; *incurva* (*incurvata*)
 265; *ixioides* 238, 248; *juncea*
 240, 263; *Krukoffiana* 236, 242;
Kuntzeana 236, 242; *laxissima*
 238, 252; *liolacea* 239, 255;
longifolia 237, 243; *Lorentziana*
 238, 249, var. *simplex* 249;
Mandonii 254; *marantoides* 237,
 243; *maxima* 236, 241, var.
densior 241; *Maxoniana* 266;
monticola 240, 261; *micrantha*
 260, 261; *myosura* 239, 257;
paleacea 238, 254; *paraënsis*
 240, 264; *pardina* 240, 262;
parviflora 240, 262; *penduli-*
spica 240, 264; *pilosa* 254, 255;
Pohlana 238, 251; *polystachia*
 240, 262; *pulchella* 251, var.
rosea 251; *quadrifolia* 255;
recurvata 239, 258; *Reichen-*
bachii 238, 253; *rosea* 251; *ru-*
bella 236, 237, 241; *Rusbyi* 237,
 244; *scalarifolia* 254; *See-*
mannii 239, 260; *soratensis*
 253; *sphaerocephala* 237, 245,
 246; *spiculosa* 239, 260; *strep-*
tocarpa 238, 253; subg. *Aëro-*
bia 236, 238; subg. *Allardtia*
 236; subg. *Anoplophytum* 236,
 238; subg. *Diaphoranthema*
 236, 239; subg. *Phytarrhiza*
 236, 238; subg. *Pseudo-Catop-*
sis 232, 236, 239; subg. *Til-*
landsia 236, 240; *subtropicalis*
 243; *tenuifolia* 238, 251; *tri-*
angularis 261, 262; *tricholepis*
 239, 255, var. *macrophylla* 256;
triticea 260; *tucumanensis* 253;
usneoides 31, 239, 260; *Valen-*
zuelana 240, 264; *vernica*
 238, 250; *violascens* 237, 244;
Walteri 237, 247; *Weddellii*
 252, 253; *Williamsii* 259; *xiphi-*
oides 238, 249
Tofieldia racemosa 32
Tolypothrix lanata 450
Tradescantia virginiana 303
Trailliella intricata 132, 527
Trichocladus 311
Tricholoma 178, 190; *griseum*
 184; *hygrophorus* 184
Tricholomopsis 189, 191; *bella*
 190-193; *flavescens* 191; *ornata*
 191; *sulphurea* 188-191; *sul-*
phureoides 191; *thompsoniana*
 191
Trichophaea bullata 202
Trichosphaeria subcorticalis 198
Trichostema dichotomum 33
Trichothyria parasitica 194
Trichothyrium 195; *epimyces* 195
Tridens ambiguus 31; *strictus* 31
Trientalis borealis 26; *europaea*
ssp. arctica 506
Trifolium hybridum 522; *pra-*
tense 522; *repens* 522, f. *phyl-*
lanthum 170
Triglochin maritima 22; *palustris*
 504
Trilisa odoratissima 34
Trillium sessile 303
Tripheora trianthophora 509
Tropaeolum glaziovii 550
 Tyler, Harry R. Jr., A. R. Hodg-
 don and R. B. Pike, More Ad-
 ditions to the Flora of Grand
 Manan, New Brunswick 306-
 308
Typha angustifolia 20, 22; *lati-*
folia 297
Ulmus 544; *alata* 545; *americana*
 169, 544, 545, f. *alba* 169, f.
intercedens 169, f. *laevior* 169,

- f. pendula* 169, *f. floridana* 545; *campestris* 544; *carpinifolia* 544; *crassifolia* 545; *fulva* 544; *glabra* 544; *macrocarpa* 545; *montana* 544; New Chromosome Counts in *Platanus* and 544; *parvifolia* 546; *pumila* 544; *rubra* 169, 303, 544; *serotina* 546
Ulothrix flacca 117, 118, 527; *subconstricta* 462; *tenerrima* 462; *variabilis* 462
Ulva lactuca 154, 527
 United States, Cytotaxonomic Notes on the Species of *Cirsium* Native to the Southeastern 285; *Eragrostis domingensis* new to 479
Uroglenopsis americana 452, 453, 466
Urospora collabens 121; *mirabilis* 153; *penicilliformis* 121
Urtica gracilis 520, *viridis* 520; sp. 516
Utricularia cornuta 33; *fibrosa* 33; *junceae* 33; *purpurea* 419; *subulata* 33; *vulgaris* 419
Vaccinium angustifolium var. *nigrum* 26; *corymbosum* 20, 21, 26; *macrocarpon* 20, 26; *uliginosum* 506
Vallisneria americana 419
Valsa pulviniceps 194, 195
Venturia rhododendri, 201
Veratrum album ssp. *oxysepalum* 505
Verbascum thapsus 27
Verbena bonariensis 218; *brasiliensis* 218
Vernonia altissima 34
Viburnum 554; *dentatum* 27, 560; *nudum* 33; *recognitum* 561; *reticulatum* 555; *wurdackii* 555-559, A New Peruvian Species 554; *weberbaueri* 555, 557, 559
Vicia angustifolia 522; *Cracca* 522
Viola 563; *arvensis* 171; *biflora* 506; *lanceolata* 20, 26, 33; *Mackloskii* ssp. *pallens* 522; *primulifolia* 33
 Violaceae 514
 Virginia, *Isotria medeoloides* on the Piedmont of 303
Vitis rotundifolia 32; *vinifera* 171
Vriesea 36, 233, 265; *disticha* 266; *heliconioides* 265, 266; *heterandra* 265, 266; *incurva* 265; *Maxoniana* 265, 266
 Weedon, Ronald R. and H. A. Stephens, *Cyperus fuscus* in Nebraska and South Dakota 433
 Wells, James R., A Review of the Varieties of *Polymnia Uvedalia* 204-211
Xanthidium antilopaeum 462, var. *polymazum* 462
Xanthium echinatum 19, 20, 28
 Xylariales 200
Ximenia 439, 441, 443; *americana* 443, var. *americana* 439-442; *cafra* 443, var. *natalense* 441; Parasitism in 439
Xyris ambigua 31; *baldwiniana* 31; *caroliniana* 31; *difformis* 31; *fimbriata* 31; *flexuosa* 31; *iridifolia* 31; *montana* 173
 Young, Steven B., Additions to the Flora of Saint Lawrence Island, Alaska 502-509
Yucca aloifolia 48
Zamia floridana 441
Zigadenus densus 32; *glaberrimus* 32
Zostera marina 115, 125, 134, 526-528

